



MOODE DECKARD SCREEN

Manufacturer-Customization-Wholesale-High End



A close-up photograph of a silver door handle and lock mechanism on a screen door. The handle is a horizontal bar with a cylindrical grip. Below it is a lock cylinder with a keyhole. The door frame is visible on the right, showing several screws and a hinge. The screen mesh is visible on the left.

About Us

Established in 2012, Moore Deckard is a wholesale provider of insect screens which include Invisible Screen Window, Invisible Screen Door, Kid Security Screen Window, Non-Drill Screen Window, Side-Hung Screen Door, Retractable Screen Window and Electric Power Screen Door, etc. We are an insect screen manufacturer integrating R&D, production, and sales.

To ensure product quality and improve production efficiency, we set up three specialized factories in China to enable each factory to focus on the production of two to three types of screen windows and screen doors. The total cover area of the factories is 300,000 square meters with an annual output of 6 million sets. Besides, to meet the needs of the export business, we have also established a cooperative factory in New Zealand.

In order to make good items, Moore Deckard has continuously devoted a lot of funds and energy to the research development of new insect screen items since its establishment and now owns 13 industrial design patents and utility model patents. We have also established a strict quality inspection system for our raw materials and finished products to guarantee world-standard quality. All our items have passed ISO9001 certification and EU CE certification.

Moore Deckard has been committed to providing perfect screen window and door system solutions. Our products are widely used in government, villas, clubs, high-end residences, hotels, shopping malls, office buildings, etc. Because of its good brand image, Moore Deckard was designated as the sole agent in China by a well-known Japanese insect screen brand METAKE.

We accept customization too. We have manufactured for over 35 countries of screen doors and screen windows in bulk, and our major markets are in Europe, North America, and Oceania. Holding a very good market share in Germany, the United Kingdom, the United States, Canada, Australia, and New Zealand for real estate companies and wholesalers, and it goes well as custom increased, We have earned a reputation for quality thanks to hard-fought efforts for product quality control and customer-oriented services.

M O O R E D E C K A R D

Customized Case

I n v i s i b l e S c r e e n W i n d o w



M O O R E D E C K A R D

Customized Case

I n v i s i b l e S c r e e n D o o r



M O O R E D E C K A R D

Customized Case

S i d e - H u n g S c r e e n D o o r



MOORE DECKARD

Customized Case

Electric Screen Door



MD-MINI SCREEN WINDOW Side-Pull

Invisible Screen Window

- Frame: 6063-T6 Alloy Aluminum, 1.2mm thick
- Mesh: 18*20 mesh density fiberglass
- Feature: Removeable, HD View, Insect Free, Noise Reduction

This MD-MINI Screen door has a 40*46mm rolling system, saving space.



Mechanical lock



Stainless steel bearing spring



Accessories



MD-MINI SCREEN WINDOW Max Size: H1800*W900mm
Min Size: H280*W260mm

www.mrdscreen.com

MD-M SCREEN DOOR

Rolling Invisible Screen Door

- Frame: 6063-T6 Alloy Aluminum, 1.2mm thick
- Mesh: Fiberglass Striped Mesh
- Application: Entry Door, Patio Door, Garage

Central Opening



Mechanical lock



Wool Top Brush



Striped Mesh



MD-MINI | 最大尺寸 | 1800*900 | 最小尺寸 | 280*260

www.mrdscreen.com

MD-MC Invisible Screen Window

Our Invisible Screen Windows are made of 1.2-mm-thick 6063-T6 Aluminum Alloy, which could withstand a Category 12 hurricane.

The Fiberglass is 18*20 Mesh Density providing fire protection, UV protection, good light transmittance, and antioxidants. Because of the good light transmittance function, this screen window could offer an HD view when you look out from it. Besides, The push and pull speed can be adjusted by yourself.

The opening of the screen window includes pull-up and down, one-side pull, and both-side sliding. You can select what you want. This screen window is Detachable and easy to install.

The opening of the screen window includes pull-up and down, one-side pull, and both-side sliding. You can select what you want. This screen window is Detachable and easy to install.



Mechanical lock



Accessories



Stainless steel bearing spring

MD-MC invisible Screen Window Max Size: H1500*1200mm (Up And Down Pull)
H1500*1200mm (Side Pull)
Min Size: H260*280mm (Up And Down Pull)
H280*260mm (Side Pull)





Exterior-Mounted Inward-Opening Kid Security Screen Window

This type of Casement Screen Window could protect children from mosquito bites and the danger of falling from heights.

This type of Casement Screen Window could protect children from mosquito bites and the danger of falling from heights. It is made of 1.5-mm-thick alloy aluminum and 304L Stainless steel mesh. The stainless steel material makes the screen high-strength and difficult to deform. Besides, it has magnetic switching and high-end child locks.

- Frame: 6063-T6 Alloy Aluminum, 1.5mm thick
- Mesh: 304L Stainless 0.21 Wire 20 Mesh Density HD Screen
ATS 304L Stainless 0.22 Wire 20 Mesh Density HD Screen
304L Stainless 0.5 Wire 16 Mesh Density HD Screen



Exterior-Mounted Inward-Opening Kid Security Screen Window Plus

This type kid security screen is designed by famous architect. It could be removed and cleaned easily. The outer frame is designed with rounded chamfers which could help the screen widows Integrates with the original windows.

- Frame: 6063-T6 Alloy Aluminum, 1.5mm thick
- Mesh: ATS 304L Stainless 0.22 Wire 20 Mesh Density HD Screen
ATS 304L Stainless 0.3 Wire 16 Mesh Density HD Screen
- Feature: Magnetic switching and high-end child locks.



6063-T6 铝合金
型材壁厚: 1.5mm



6063-T6 铝合金
壁厚: 1.5mm, 圆角: 1.5mm



ATS 304L 不锈钢
0.22mm 20目高密度网



磁性开关与儿童锁设计
安全锁, 安全防夹手



Narrow Edge HD View Screen Window

This screen slims the width of the four sides without changing the frame's strength, so giving you a stylish look and a wider view outside the window.

In addition to good air permeability and light transmission, this product is also acid-resistant and corrosion-resistant, so it is very suitable for coastal areas

- Frame: 6063-T6 Alloy Aluminum
- Mesh: ATS 304L Stainless 0.185 Wire 20 Mesh Density HD View Screen



The Max Size: H1700*W800mm

HD View Side-Hung Screen Door

This type of Magnetic Side-Hung Screen Door comes with a 2.5mm thickness of alloy aluminum frame and stainless 304L 0.22wire 20 mesh density. Therefore, this product has an HD view and good breathability.

Expect that, it is strong and anti-corrosion, anti-mosquito, and anti-animal scratching. This Security Screen Door also has a combination lock, which could protect the family and property from danger. We accept the customization of this Side-Hung Screen Door.

- Frame: 6063-T6 Alloy Aluminum
- Mesh: ATS 304L Stainless 0.22Wire 20 Mesh Density HD View Screen



The Max Size: H3000*W1000mm



Child Safety Side-Hung Screen Door Kid Security Series

This Kid Security Screen Window accepts the customization.

Be made of American Standard ATS 0.22 wire 16 Mesh Density 304L Stainless Screen Mesh

Two Types Of Kid Security Locks

Be made of 6063-T6 Aluminum Alloy, and the thickness is 1.6mm

It is easy to install and detach. This screen window comes with the wool top which helps to Auto-clean.

HD view and anti-mosquito&fly

Protecting the children from the danger of falling from heights.


- Frame: 6063-T6 Alloy Aluminum
- Mesh: ATS 304L Stainless 0.22 Wire



Roller child lock



Key type child lock



Removable aluminum hinge



HD View and good breathability

AMERICAN STYLE LIFTING SCRREN WINDOW

Equipped with a state-of-the-art locking mechanism, our lifting screen window ensures enhanced security, providing peace of mind for families with children or those in ground-floor apartments. The safety lock prevents unauthorized opening from the outside, giving you added protection against intrusions.


- Frame: 6063-T6 Alloy Aluminum, 1.5mm thick
- Mesh: ATS 304L Stainless Diameter 0.21mm 20 Mesh Density
- Features: Safety Lock, Removable, Lighting



HD VIEW STAINLESS SCRREN WINDOW

Keep your home safe with the innovative safety lock. Enjoy fresh air without worrying about pests or allergens. Built to last with premium-quality materials and craftsmanship. Simple to operate and maintain, making it ideal for all age groups. Choose from various sizes and finishes to suit your needs.

- Frame: 6063-T6 Alloy Aluminum, 1.4mm thick
- Mesh: ATS 304L Stainless Diameter 0.5 Wire 20 Mesh Density
- Features: Safety Lock, Removable, Lighting



Max Size: H1800*W900mm

Internal opening



MD-FD Security Screen Door

This Screen Door has a 1.4 mm-thick alloy aluminum and stainless 304L .07 Wire 11 mesh density. Therefore, it has an HD view and good breathability. It is also strong and anti-corrosion, anti-mosquito, and anti-animal scratching. Besides, it has a lock which could protect the family and property from danger. The screen door could be removed easily so it was cleaned up.

- Frame: 6063-T6 Alloy Aluminum, 1.4 mm thick
- Mesh: Fiberglass Striped Mesh



45° mitered angle



High sealing performance



Advanced locks

Max Size: H0000*W1000mm

External opening



MD-JGM Security Screen Door

Designed to meet the needs of modern homes, this innovative security screen door combines sleek aesthetics with robust performance, making it an essential addition to your living space. It has a multi-locking point hardware lock that protects your family from danger.

- Frame: 6063-T6 Alloy Aluminum, 1.6 mm thick
- Mesh: ATS 304L 0.7 Wire 11 Mesh Density Stainless Mesh
- Option: Regular, Central Opening, Primary—secondary



NARROW EDGE SLIDING SCREEN WINDOW

Moore Deckard's narrow edge sliding screen window, gauze mesh is equipped with stainless steel wire woven 0.21 silk gauze mesh uniform dense, strong, and durable, effectively isolates mosquitoes, maintains space permeability, light, and air permeability is good, customized silent roller, high and low can be adjusted, to ensure that the screen does not derail more smoothly narrow frame design, simple to drive the complex, feel the aesthetics of boundless life, the vision is very different from now on.

- Frame: 6063-T6 Alloy Aluminum
- Mesh: 304L 0.21 Wire Stainless Mesh



SLIDING SCREEN WINDOW

Moore Deckard's sliding screen window uses a 12mm track, and thin and light design of rail, and can be made into doors or windows according to different needs. Coming with a silent roller, and high-penetration stainless steel diamond net, and the hand uses a double-sided hook lock.

- Frame: 6063-T6 Alloy Aluminum
- Mesh: ATS 304L 0.22 Wire Stainless Mesh , ATS 304L 0.5 Wire Stainless Mesh
ATS 304L 0.7 Wire Stainless Mesh



Thin And Light Design Of Rail



Silent Roller



High Security Lock



Barrier-Free Sliding Screen Doors & Screen Windows

Moore Deckard's barrier-free sliding screen doors & screen windows are easy to remove and wash, and it is light and simple to use.

Luxurious exterior with stylish home decor, suitable for installation in a variety of push-pull windows and floor-to-ceiling balconies.


(Color customization is available for this model)

- Frame: 6063-T6 Alloy Aluminum
- Mesh: ATS 304L Stainless 0.22 Wire Screen Mesh
ATS 304L Stainless 0.5 Wire Screen Mesh
ATS 304L Stainless 0.7 Wire Screen Mesh



Max Size Of Side Pulling Screen Window: H2500*W3000mm
Max Size Of Side Pulling Screen Door: H2500*W6000mm
Max Size Of Largest Side Pulling Screen Door: H4000*W6000mm

INSECT MESH



Screen: Fiberglass Net

Mesh Density: 18*20 Hole Distance: 1.11*1.25 mm

Material: Lead-free fiberglass Color: Black/Grey


Features: Comply with EU environmental standards,

Flame retardant, Insect Free, Breathable, HD View

Technology: Brushed, Twisting, Powder Painting, Weaving

It complies with European REACH standards, has passed ROHS lead-free certification, and is safe for the human body.

INSECT MESH



Screen: Stripe Net

Mesh Density: 18*16 Hole distance: 1.25*1.43 mm

Material: Lead-free fiberglass Color: Black


Features: Comply with EU environmental standards,

Flame retardant, Insect Free, Breathable, HD View

Technology: Brushed, Twisting, Powder Painting, Weaving

It complies with European REACH standards, has passed ROHS lead-free certification, and is safe for the human body.

INSECT MESH



Screen: National Standard 304 0.5 Wire

Mesh Density: 16 Hole distance: 1.06 mm


Material: 304 Stainless Color: Black

Features: Strong, sturdy, insect and rodent proof, protective

Technology: Brushed, Powder Painting, Weaving

Safe and non-toxic to the human body

INSECT MESH



Screen: National Standard 304 0.18 Wire

Mesh Density: 21 Hole distance: 0.97 mm

Material: 304 Stainless Color: Black

Features: Strong, sturdy, insect and rodent proof, protective

Technology: CNC weaving process, electrostatic powder spraying process

High definition and high light transmittance, anti-mosquito, anti-animal scratching, durable, fireproof, electrostatic powder spraying treatment (not paint)

INSECT MESH

Screen: National Standard 304 0.7 Wire


Mesh Density: 12 Hole distance: 1.36 mm

Material: 304 Stainless Color: Black


Features: Strong, sturdy, insect and rodent proof, protective

Technology: Brushed, Powder Painting, Weaving

Safe and non-toxic to the human body



INSECT MESH



Screen: National Standard 304 0.18 Wire

Mesh Density: 21 Hole distance: 0.97 mm

Material: 304 Stainless Color: Black

Features: Strong, sturdy, insect and rodent proof, protective

Technology: CNC weaving process, electrostatic powder spraying process

High definition and high light transmittance, anti-mosquito, anti-animal scratching, durable, fireproof, electrostatic powder spraying treatment (not paint)

INSECT MESH

Screen: National Standard 304 0.21 Wire


Mesh Density: 19*20 Hole distance: 1.04 mm

Material: 304 Stainless Color: Black


Features: The mesh surface is flat and uniform, feels smooth, odorless, and non-toxic

Technology: CNC weaving process, electrostatic powder spraying process

Passed the European SGS-PHOS standard, safe and non-toxic, with no harm to the skin



INSECT MESH



Screen: American Standard 304 0.22 Wire

Mesh Density: 20 Hole distance: 1.05 mm

Material: American Standard ATSM 304 Stainless Color: Black

Features: Wire rod raw material, Low Carbon, Durable,
Bright, easy to clean, anti-chemical corrosion, anti-insect bite

Technology: Japan RGK loom metal wire warp and weft weaving technology

Passed the European SGS-PHOS standard, safe and non-toxic, with no harm to the skin



Ultraviolet-Proof



Rainwater Prevention




Anti Insect



REACH Certification

INSECT MESH



Screen: American Standard 304 0.3 Wire

Mesh Density: 16 Hole distance: 1.27 mm

Material: American Standard ATSM 304 Stainless Color: Black

Features: Wire rod raw material, Low Carbon, Durable

Technology: Japan RGK loom metal wire warp and weft weaving technology

Passed the European SGS-PHOS standard, safe and non-toxic, with no harm to the skin



Ultraviolet-Proof



Rainwater Prevention




Anti Insect



REACH Certification

INSECT MESH



Screen: Pet Defence Net

Mesh Density: 20


Hole distance: 1.03 mm

Color: Black

Material: Polyester and polyvinyl chloride

Features: Nails are less likely to get caught and pet friendly mesh, and the mesh is made of polyester+PVC so it is extremely durable and hard to tear.

INSECT MESH



Screen: PP Net 30

Mesh Density: 26*26 Hole distance: 0.5mm Color: Black or Gray

Material: Polypropylene

Features: This mesh effectively keeps out small insects that easily enter the room.

INSECT MESH



Screen: Pet Net 26

Mesh Density: 26

Hole distance: 0.78 mm

Color: Black or Gray

Material: Polypropylene

Features: This mesh effectively keeps out small insects that easily enter the room.

INSECT MESH


Screen: Fine View

Mesh Density: 24*24

Color: Black

Material: Polyolefin

Features: Clear view and good airflow are offered with it's even openings
Dust and debris will be less likely to get caught between the mesh.



ACCESSORIES



Lock



Alloy Aluminum




Gauze box cover



Bearings



Spring



Safety lock



Safety lock



Hinge

COLOR



FM8019



FM8019M



FM8028M




FM9010M




FM9016



MW02



MW04



MW06

COLOR



JSF01



JSF02



JSF03



JSF05



FM7015



FM7015M



FM8017



FM8017M

CONTACT US

Headquarters Address: Century Baoding Apartment (Dingcheng Road), Chaoyang District, Beijing, China

Postal Code: 100101

Email: sales@mrdscreen.com

Phone: +86 18998586570

Web: mrdscreen.com